

## Document overview

File name: 1402-20 Stolarka Otworowa KOR.pdf  
 Title: -  
 Application: Adobe InDesign 18.5 (Windows)  
 Producer: Adobe PDF Library 17.0  
 Author: -  
 Created on: 10/23/2025 11:43:09 AM  
 Date Modified: 10/23/2025 02:21:40 PM  
 File Size: 50.8 MByte / 52056.5 KByte  
 Trapped: No  
 Output Intent: -  
 PDF/X Version: -  
 PDF Version: 1.4  
 Number of pages: 36  
 MediaBox: 230.82 x 317.82 mm  
 TrimBox: 210.00 x 297.00 mm



## Summary

	✖ Error	⚠ Warning	✅ Fixed	ℹ Info
Document	-	-	-	-
PDF/X	-	-	-	-
Pages	-	-	-	-
Colors	-	97	-	-
Fonts	-	-	-	-
Images	-	-	5	-
Content	-	151	-	-

## Colors

- ⚠ Maximum dot area 329% is above the 320% threshold #2 (15,28)
- ⚠ Maximum dot area 331% is above the 320% threshold #1 (21)
- ⚠ Maximum dot area 332% is above the 320% threshold #1 (29)
- ⚠ Maximum dot area 333% is above the 320% threshold #3 (12,14,22)
- ⚠ Maximum dot area 334% is above the 320% threshold #5 (9,13,15,21,33)
- ⚠ Maximum dot area 335% is above the 320% threshold #4 (5,15,32-33)
- ⚠ Maximum dot area 336% is above the 320% threshold #9 (9,12-13,26,30,33-34)
- ⚠ Maximum dot area 337% is above the 320% threshold #12 (10-11,14,17,20,22-23,27-28,30)
- ⚠ Maximum dot area 338% is above the 320% threshold #15 (3,7,10-11,15,19,21-23,27,30,35)
- ⚠ Maximum dot area 339% is above the 320% threshold #8 (1,3,6,12-14,27)
- ⚠ Maximum dot area 340% is above the 320% threshold #9 (4,11-12,18-20,26,30,34)
- ⚠ Maximum dot area 341% is above the 320% threshold #5 (16,18,31,34-35)
- ⚠ Maximum dot area 342% is above the 320% threshold #7 (8-11,16,26)
- ⚠ Maximum dot area 344% is above the 320% threshold #5 (7,9,14,28)
- ⚠ Maximum dot area 345% is above the 320% threshold #4 (18,24,27,30)
- ⚠ Maximum dot area 346% is above the 320% threshold #3 (6,11,17)
- ⚠ Maximum dot area 347% is above the 320% threshold #2 (8,25)

- ⚠ Maximum dot area 349% is above the 320% threshold #1 (29)
- ⚠ Maximum dot area 360% is above the 320% threshold #1 (17)

## Images

- ✅ Image is indexed - Color space: Device CMYK #5 (15-16,28,35)

## Content

- ⚠ Line weight 0.018 mm is below hairline threshold 0.076 mm #2 (15)
- ⚠ Line weight 0.020 mm is below hairline threshold 0.076 mm #3 (21,32,34)
- ⚠ Line weight 0.022 mm is below hairline threshold 0.076 mm #1 (22)
- ⚠ Line weight 0.030 mm is below hairline threshold 0.076 mm #1 (33)
- ⚠ Line weight 0.032 mm is below hairline threshold 0.076 mm #5 (17-18,21,32,34)
- ⚠ Line weight 0.036 mm is below hairline threshold 0.076 mm #2 (22,33)
- ⚠ Line weight 0.047 mm is below hairline threshold 0.076 mm #1 (19)
- ⚠ Line weight 0.053 mm is below hairline threshold 0.076 mm #1 (31)
- ⚠ Line weight 0.054 mm is below hairline threshold 0.076 mm #4 (21,31-32)
- ⚠ Line weight 0.056 mm is below hairline threshold 0.076 mm #1 (34)
- ⚠ Line weight 0.060 mm is below hairline threshold 0.076 mm #15 (6-9,17-18,29-30,33)
- ⚠ Line weight 0.061 mm is below hairline threshold 0.076 mm #1 (13)
- ⚠ Line weight 0.062 mm is below hairline threshold 0.076 mm #4 (13,15,22)
- ⚠ Line weight 0.063 mm is below hairline threshold 0.076 mm #17 (10-12,14-16,19,26-31)
- ⚠ Line weight 0.064 mm is below hairline threshold 0.076 mm #1 (19)
- ⚠ Line weight 0.065 mm is below hairline threshold 0.076 mm #3 (10-12)
- ⚠ Line weight 0.066 mm is below hairline threshold 0.076 mm #1 (23)
- ⚠ Line weight 0.067 mm is below hairline threshold 0.076 mm #1 (23)
- ⚠ Line weight 0.069 mm is below hairline threshold 0.076 mm #2 (26,28)
- ⚠ Line weight 0.000 mm is below hairline threshold 0.010 mm #85 (13,19-23,31-35)

## Additional information

Settings used: Qualify\_1

Color separations: 4

 CMYK

Page 1 

Page 2 

Page 3 - 35 

Page 36 

Colored: 35 Black-and-white: 1

Color spaces

ⓘ DeviceCMYK / Separation

Fonts: 44

ⓘ ArialMT

ⓘ Calibri

ⓘ DIN2014-DemiBold

ⓘ DIN2014-DemiBold

ⓘ DIN2014-Light (9x)





TrueType (CID) / Identity-H / embedded subset

TrueType / WinAnsi / embedded subset

TrueType / WinAnsi / embedded subset

TrueType (CID) / Identity-H / embedded subset

TrueType / WinAnsi / embedded subset

 DIN2014-Light (12x)	TrueType (CID) / Identity-H / embedded subset
 DIN2014-Regular	TrueType / WinAnsi / embedded subset
 DIN2014-Regular (17x)	TrueType (CID) / Identity-H / embedded subset
 SymbolMT	TrueType (CID) / Identity-H / embedded subset